

Water/ Wastewater

*The OEM and Installers Guide to Control
Components for Water/Wastewater Treatment*



Table of Contents

1	About c3controls	2
2	Glossary of Terms	3
3	Industry Outlook	4
4	Treatment Plant Isometrics	5
5	Products for Water/Wastewater Applications	6
6	Electrical Control Component Details	7
7	c3controls Product Portfolio	8
8	White Papers	9
9	Why choose c3controls	10

About c3controls

Since 1976 c3controls (c3controls.com) has provided OEMs and electrical equipment builders a comprehensive portfolio of industrial control products that meet the most demanding applications. By maintaining strict control over the development and manufacturing of all products, c3 can provide customers extraordinary value through unmatched quality, competitive pricing, same-day shipping and a lifetime product warranty. This vertically integrated approach coupled with a direct sales model brings c3 closer to the end-user, fostering a degree of innovation that leads the industry.



Glossary of Terms

Water

Pump Stations:

Devices used to move water from a collection system to and/or through treatment. Common types include booster, centrifugal, stormwater, and submersible pumping stations.

Water Treatment:

The process of taking water, typically from the environment, and improving its quality for a desired end use. Common steps include coagulation, flocculation, sedimentation, filtration, and disinfection.

Coagulation & Flocculation:

Chemicals are added to water to neutralize the charge of dirt (coagulation) and bind particles together so they can be more easily removed (flocculation).

Sedimentation:

Using the effect of gravity to allow particles suspended in water to settle to the bottom of a tank prior to removal.

Filtration:

Passing water through a medium in order to remove any remaining small particles.

Disinfection:

Treating water with chemicals to eliminate any microorganisms and prepare for distribution and consumption.

Wastewater

Lift Stations:

A type of pump station designed to move wastewater, or sewage, to higher elevation using a collection system.

Wastewater Treatment:

The process of taking wastewater from a community, removing and eliminating contaminants, and releasing back into the environment. Common steps include primary, secondary, and tertiary treatment.

Primary Treatment:

Filtering out large solids from wastewater and then performing coagulation, flocculation, and sedimentation to separate 'sludge' and lighter substances.

Secondary Treatment:

Utilizing aerobic bacteria to biologically remove contaminants from wastewater, also known as 'activated sludge.'

Tertiary Treatment:

Filtration and disinfection processes increase the final quality of water and prepare it for discharge back into the environment.

Water/Wastewater

Department of Environmental Quality (DEQ):

Administers state and federal laws and regulations for water quality, water supply, and land protection.

Environmental Protection Agency (EPA):

Responsible for standards and the inspection of collection and treatment systems. The EPA OW (Office of Water) includes divisions such as the OWM (Office of Wastewater Management).

Pump Control Panels:

Also known as pump controllers, these panels manage the power components that control a pump motor, permitting easy and automatic pump operation and monitoring.

Treatment Plant:

A facility which takes water/wastewater from a collection system and performs a series of processes to prepare water/wastewater for a desired end use.

Industry Outlook

Essential for life, clean water is one of the most important resources on the planet. Treatment of water and wastewater has a critical impact on our health, ecosystem, economy, and so much more. This treatment comes at a premium as water and wastewater services utilize almost 50% of the energy in a municipality, of which 90% is used by pumps. As factors such as population growth strain aging infrastructure, an industry focus is finding new solutions that offer energy efficiency without sacrificing reliability.

For over 45 years, c3controls has been a leading manufacturer of electrical controls for water/wastewater treatment equipment. Our experience serving the industry has provided a deep understanding of challenges such as:

- **Supply chain issues** that bring long lead times for critical system components and subsequent delays.
- **Workforce shortages** that limit productivity and increase the need for automation.
- **High regulations** that ensure that processes, machines, and their components are up to code.
- **Complex controls** that call for the technological advancement of electronics.
- **Calls for sustainability and efficiency** that demand innovation in the form of flexible, multi-purpose equipment.

With these challenges come great opportunities for your business. As the industry continues to grow and evolve, now is the ideal time to upgrade systems to capitalize on industry trends and technological advancements. With the right parts, people, and processes, your application can stand out from the rest.

c3controls can help you succeed. We manufacture our products and do not source any major products from China. This allows us to operate more efficiently and respond to market conditions quicker. That means faster delivery for your industrial control products serving:


- **Pump Control Panels**
- **Pump Stations**
- **Lift Stations**
- **& more!**

With over fifteen million available product configurations, and our own UL508A panel shop, c3controls has the resources you need to adapt and capitalize on your water/wastewater business opportunities!


Treatment Plant Isometrics

Here is an example layout of a treatment facility with a look inside at some common processes:


Treatment Facility



Pumping



Filtration




Products for Water/Wastewater Applications

c3controls has component and finished solutions for all your water/wastewater needs:

Pump Control Components

(wiring a 3-phase direct-on-line starter to a pump motor)



Pump Control Panels



Starters



1		22mm IEC E-Stops	Non-Illuminated and Illuminated versions	UL Listed Polycarbonate enclosure rated for Type 1, 2, 3, 3R, 4/4X, 12, 13, and IP66	Meets EN418 Safety of Machinery global compliance standards	Operating temperatures from -40 to +55° C (-40 to + 131° F)	UV and corrosion resistant
2		UL 508 Disconnect Switches	Door mount, panel-base mount, and panel mount with integral operator	Certified for use in Manual Motor Controller applications suitable as Motor Disconnects	16 - 125 Amps in 3, 4, and 5 pole configurations	Motor loads up to 40HP @ 480V (55kW @ 400V)	Operating handles rated for Type 1, 2, 3, 3R, 4/4X, 12, 13, IP55, and IP65
3		Pilot Devices	Modular range of 30mm, 22mm, 16mm, and 13mm	Type 1, 2, 3, 3R, 4/4X, 12, and 13	Non-Illuminated, Illuminated and Keyed Operators in both maintained and momentary operations	Color-coded, snap-on contact blocks with angled captive screws and pressure plates	Full voltage, multi-voltage, resistor, and dual input light units in a wide range of voltages up to 600VAC/VDC
4		Miniature Circuit Breakers	UL 489 & UL 1077	1, 2 and 3 Pole combinations	10kA SCCR @ 480Y/277VAC	Current ratings up to 63 Amps	B, C and D curve ratings
5		Motor Protection Circuit Breakers	Multi-Function: Manual Motor Controller, Motor Disconnect, Group Motor Installations	50kA SCCR @ 480V	Self-protected Type E up to 50kA @ 460V	FLC up to 32 Amps	Trip Class 10 Thermal and Magnetic Elements
6		IEC Contactors	9 to 105 Amps	100kA SCCR @ 480V and 600V with Class J fuses	AC and DC - electronic coil control on DC devices	Integral auxiliary	Up to 75 HP @ 400V (55kW @ 400V)
7		General Purpose Relays	Square base, flange mounted, and miniature	Only 14mm wide	Transparent housing	Pole combinations available in SPDT, DPDT, 3PDT and 4PDT	Carrying current rating 5A-25A
8		Electronic Timing Relays	Compact design, sizes in 17.5mm, 22.5mm, and 45mm wide	Single, dual and multi-functions	Timing ranges from 0.01 seconds to 9,999 hours	DIN Rail, Panel, Socket, and enclosure door mountings	Voltage inputs 20-240 VAC and 12-240 VDC
9		Overload Relays	Available in five frame sizes with a current adjustment range of 0.28-112A	High fault SCCR of 100kA @480V and 600V with Class J fuses	Full load current adjustment ratio of approx. 1:1.5 enables relay to be set to exact FLA of motor	Single phase sensitivity to protect motors against damaging phase loss conditions	Manual or automatic reset and test modes, and stop button all in a single device
10		Terminal Block Relays	Rated load: 6A, 250VAC/30VDC	Single-Pole, Double-Throw contacts	Screw termination	Most common AC/DC coil voltages: 12V, 24V, 110-125V, 220-240V	
11		Wire Duct & DIN Rail	Wire Duct: 13 dimensions from 25mm wide up to 80mm, and up to 2m in length	Wire Duct: Narrow and Wide Slot	DIN Rail: 35mm rails in steel and aluminum	DIN Rail: 1m (3.28ft) or 2m (6.56ft) lengths	DIN Rail: Standard package quantities or pallet options available
12		Direct-On-Line Starters (+enclosed)	Open-style starters consist of either a Contactor & Overload Relay, or a Motor Protection Circuit Breaker & Contactor	Enclosed starters come pre-wired with a variety of pilot device options	Factory assemblies provide the convenience of a single catalog number and shorter bill of material		

Disclaimer: For illustration purposes only. Other solutions may be applicable depending on your application design requirements.

Product Portfolio

Our 15 million+ product configurations deliver durability and reliability—even in the most punishing environments—meeting and exceeding global standards for quality and safety.

 <p>DISCONNECT SWITCHES</p>	 <p>ENCLOSED DISCONNECT SWITCHES</p>	 <p>MINIATURE CIRCUIT BREAKERS</p>	 <p>DEFINITE PURPOSE CONTACTORS</p>
 <p>CONTACTORS</p>	 <p>MINIATURE CONTACTORS & CONTROL RELAYS</p>	 <p>OVERLOAD RELAYS</p>	 <p>DIRECT-ON-LINE STARTERS CONTACTOR + OVERLOAD RELAY</p>
 <p>ENCLOSED DIRECT-ON-LINE STARTERS CONTACTOR + OVERLOAD RELAY</p>	 <p>MOTOR PROTECTION CIRCUIT BREAKERS</p>	 <p>ENCLOSED MOTOR PROTECTION CIRCUIT BREAKERS</p>	 <p>DIRECT-ON-LINE STARTERS MOTOR PROTECTION CIRCUIT BREAKER + CONTACTOR</p>
 <p>ENCLOSED DIRECT-ON-LINE STARTERS MOTOR PROTECTION CIRCUIT BREAKER + CONTACTOR</p>	 <p>30MM INDUSTRIAL PILOT DEVICES</p>	 <p>30MM PILOT DEVICES FOR HAZARDOUS LOCATION</p>	 <p>22MM IEC PILOT DEVICES</p>
 <p>WORLD TOWER LIGHTS</p>	 <p>CAM SWITCHES</p>	 <p>22MM NEMA PILOT DEVICES</p>	 <p>16MM PILOT LIGHTS</p>
 <p>13MM PILOT LIGHTS</p>	 <p>CONTROL STATION ENCLOSURES</p>	 <p>ENCLOSED UL508A COMBINATION MOTOR STARTERS</p>	 <p>TERMINAL BLOCKS</p>
 <p>TERMINAL BLOCK RELAYS</p>	 <p>ELECTRONIC TIMING RELAYS</p>	 <p>GENERAL PURPOSE RELAYS</p>	 <p>WIRING DUCT</p>

White Papers

Product professionals AND subject experts!
Check out c3controls' extensive library of white papers:



Applying Motor Controls in a Water/Wastewater Pumping Application

Applying Motor Controls in a Water/Wastewater Pumping Application

Click here to learn more about the basic understanding of pump control for water and wastewater!

[READ WHITEPAPER](#)



PANEL ESSENTIALS 3: UL508A Control Panel Design Considerations

Panel Essentials Series 3: UL508A Control Panel Design Considerations

Find out the basic design considerations you need to know when building a UL 508A panel.

[READ WHITEPAPER](#)




Pilot Devices for Indication and Actuation: Pilot Devices Indicator Lights

Industrial Control Basics 4: Pilot Devices for Indication and Actuation

While pilot devices are seemingly quite simple control, there is more to them than the Merriam Webster definition. They have their own terminologies, color coding, functions and standards. Click to find out more.

[READ WHITEPAPER](#)




Pump Control (Water/Wastewater/Irrigation)

Pump Control for Water, Wastewater, and Irrigation

Each application to control a pump is unique. Click here for the types of control methods and what to consider when selecting pump control.

[READ WHITEPAPER](#)



Replacing VFDs with Motor Starters

Replacing VFDs with Motor Starters

Unable to source variable frequency drives (VFDs) and soft starters due to the shortages of raw materials? You have a variety of choices when selecting an electric motor starter. Download our paper to see how you might be able to use standard motor control in place of a VFD.

[READ WHITEPAPER](#)



Commercial Boiler Industry New Trends in Technology


Commercial Boiler Industry - New Trends in Technology

Boilers are perhaps the largest unseen, unknown and therefore, underappreciated part of the lives of nearly everyone on the planet. Besides the boiler that sometimes stopped working in elementary school, few people appreciate their importance. Check out our paper to find out what trends are emerging in boilers and boiler control.

[READ WHITEPAPER](#)

Why choose c3controls

Notes



Integrated Manufacturing

Vertical integration is the cornerstone of c3controls as it places innovation, development, design, manufacturing, testing, and shipping all within our control. With Everything Under Control, we can ensure the highest quality and customer satisfaction.

Innovation

Product innovation is in our DNA. We approach our products as solutions. Unlike our competition, our business model allows us to provide customers with premium controls without the premium price.



Same-Day Shipping

Reduce inventory. Improve cash-flow. Save money. Our customers enjoy peace of mind knowing they'll get what they need, when they need it. Our promise, guaranteed!

Limited Lifetime Warranty

With total control over engineering and manufacturing, we are able to guarantee the highest quality products on the market—products free of defects in material, workmanship, and design.




Advantage Pricing

Total control means lower overhead and direct sales. For our customers, this translates to savings of up to 40+% on c3controls premium products.



Customer First

Commitment to the success of our customers is a core value and the driving force behind all we do. We promise concierge style service that makes doing business easy, personalized, and responsive.



724.775.7926
c3controls.com



c3controls[®]
Everything under control.