CERTIFICATE OF COMPLIANCE

Issued to: C3CONTROLS

664 STATE ST

PO BOX 496 BEAVER, PA 15009-0496

United States

This is to certify that representative samples of

NLDX7 - Motor Controllers, Magnetic Certified for Canada

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: CSA C22.2 NO. 60947-4-1, 2nd Ed., Issue Date:

2014-04-04, Revised 2018-05

Additional Information: See the UL Online Certifications Directory at

https://iq.ulprospector.com for additional information

Debrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services





This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Olbrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services





This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
300-M, followed by 07 or 09 or 12 or 16 may be followed by N may be followed by 02 or 20 or 22 or 13 or 31 or 30 or 40 or 04 may be followed by 00 or 10 or 01 or 11 or 20 or 02 followed by characters or numbers related to coil voltage/frequency may or may not be followed by 5 extra characters/numbers to indicate any special features.	Magnetic Motor Controllers
300-MMI is an open type, mounted on the mini contactor 300-M series.	Magnetic Motor Controllers
310-Mseries, followed by 07 or 09 or 12 or 16 may be followed by N may be followed by 02 or 20 or 22 or 13 or 31 or 30 or 40 or 04 may be followed by 00 or 10 or 01 or 11 or 20 or 02 followed by characters or numbers related to coil voltage/frequency may or may not be followed by 5 extra characters/numbers to indicate any special features.	Magnetic Motor Controllers
Accessory for contactor, PCB link module Type 300-M followed by PCLM.	Magnetic Motor Controllers
Accessory for contactor, Wiring module Type 300 followed by RWM16.	Magnetic Motor Controllers
Surge Suppressors 300-M, followed by RC or VS or DS followed by Voltage ratings used with mini contactor series.	Magnetic Motor Controllers

Debrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services



CERTIFICATE OF COMPLIANCE Oldrah Lennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



CERTIFICATE OF COMPLIANCE

Issued to: C3CONTROLS

664 STATE ST

PO BOX 496 BEAVER, PA 15009-0496

United States

This is to certify that representative samples of

NLDX - Motor Controllers, Magnetic

See Addendum Page for Product Designation(s).

Have been evaluated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60947-4-1, 3rd Ed., Issue Date: 2014-04-04, Revision

Date: 2017-10-17

Additional Information: See the UL Online Certifications Directory at

https://ig.ulprospector.com for additional information

Octoah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/



This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

Olbrah Jenning - Course

Deborah Jennings-Conner, VP Regulatory Services





This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements

Model	Category Description
300-M, followed by 07 or 09 or 12 or 16 may be followed by N may be followed by 02 or 20 or 22 or 13 or 31 or 30 or 40 or 04 may be followed by 00 or 10 or 01 or 11 or 20 or 02 followed by characters or numbers related to coil voltage/frequency may or may not be followed by 5 extra characters/numbers to indicate any special features.	Magnetic Motor Controllers
300-MMI is an open type, mounted on the mini contactor 300-M series.	Magnetic Motor Controllers
310-Mseries, followed by 07 or 09 or 12 or 16 may be followed by N may be followed by 02 or 20 or 22 or 13 or 31 or 30 or 40 or 04 may be followed by 00 or 10 or 01 or 11 or 20 or 02 followed by characters or numbers related to coil voltage/frequency may or may not be followed by 5 extra characters/numbers to indicate any special features.	Magnetic Motor Controllers
Accessory for contactor, PCB link module Type 300-M followed by PCLM.	Magnetic Motor Controllers
Accessory for contactor, Wiring module Type 300 followed by RWM16.	Magnetic Motor Controllers
Surge Suppressors 300-M, followed by RC or VS or DS followed by Voltage ratings used with mini contactor series.	Magnetic Motor Controllers

Debrah Jennings-Course

Deborah Jennings-Conner, VP Regulatory Services



CERTIFICATE OF COMPLIANCE Oldrah Lennings-Course

Deborah Jennings-Conner, VP Regulatory Services

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at http://ul.com/aboutul/locations/